

Product Catalog

Leaders in can liners, trash bags, and custom poly since 1977.



















Dear Valued Customer,

Welcome and thank you for your interest in our company.

Aluf Plastics is a minority, woman-owned (WBENC Member) manufacturer of custom, retail, and private label trash bags. We've been in business under the same ownership since 1977 and maintain state-of-the-art facilities in Orangeburg, NY and Sulphur Springs, TX.

We've grown into one of the largest manufacturing and blown-film extrusion powerhouses in North America and yet maintain that personal one-on-one, individualized relationship with each and every customer.

Please take a moment to peruse through this catalog. Have questions? Need more information? Have a special request? Our knowledgeable Sales team is standing by to provide you with the answers and the attention you deserve.

We appreciate the fact that you've chosen to do business with Aluf Plastics and pledge to consistently serve you with the highest levels of dedication, reliability and professionalism.

Thanks again for you patronage.



Yours truly,

Susan Rosenberg
Chief Executive Officer



PICK A BAG. ANY BAG.

PROVIDING EXCELLENT SERVICE
AND MANY TOP QUALITY PRODUCTS AT
COMPETITIVE PRICES. FROM DUAL
MANUFACTURING FACILITIES ROLLING
OUT CAN LINERS OF ALL SIZES, TO
MULTIPLE WARRENOUSES STOCKING
OVER 500 READYTO-SHIP SKUS FOR
IMMEDIATE DELIVERY, ALUF'S STERLING
REPUTATION IS INSIDE EVERY BAG... NO
MATTER WHICH BAG YOU CHOOSE

Index (SORTED ALPHABETICALLY)

5
6
4
7
8,9

LOW DENSITY

ROLLS		FLAT						
	BLACK							
Flap Crown Top Liners	s 15	A-T (Star)	17					
RCM COEX Supertuff®	14	CXP COEX Supertuff®	12					
Roll (RL) Series	17	VCX COEX Supertuff®	13					
Tubing	19	PG6/NY (Gusset)	16					
Asbestos Disposal			31					
Blue Recycling			22					
Clear Coreless			20					
Clear Flatpack			21					
Compactor Bags			19					
Compostable Bags			27					
Contractor Bags			19					
Covers: Pallet, Dry Wall	/ Lu	mber Yard	31					
Curbside Receptacle Li	ners	3	18					
Drawstring			25					
Drum Liners			18					
Food Bags			28					
Mattress Bags			27					
Packaging / Industrial			29					
Poly Sheeting			31					
Red Infectious Waste			26					
Super Hexene			24					
Table Covers			30					
White Bags			23					
HIGH DENSITY								
SCR Source Reduction	(GO	OD)	11					
HCR High Density (BET	TER	D)	10					
PCM Pro-Lene® (BEST)			11					
INDEX CROSS REF	ERE	NCE						
Low Density			32					
High Density			33					
Retail			34					
TRAINING								
Bag Choosing Guide			35					
Converting Gauge			36					

Calculating Gauge & Net Weight

Frequently Asked Questions Terms and Conditions



37

General Information





General Info:

Aluf Plastics extrudes and converts mono- and multi-layer bag products for industrial packaging and can liner applications. Since inception in 1977, Aluf Plastics has grown steadily with advancements of film and bag products. We offer a full line of commodity polyethylene as well as superior products of high performance resin, which reduces cost over traditional polyethylene products.

Plant Locations:

Aluf's East Coast headquarters and production facility is located in Orangeburg, New York, only 5 minutes from the New York/New Jersey border and Route 287/87 Interstate highways.

The Aluf Plastics Southwest division features a manufacturing and blownfilm extrusion plant in Sulphur Springs, Texas that expands distribution to customers throughout the region.

Physical Data:

Aluf Plastics runs 90+ extrusion lines between the New York and Texas plants with a total production space of approximately 500,000+ square feet.

	Minimum Gauge	Maximum Gauge	Minimum Width	Maximum Width
Prime:	.0004	6 mil	8" (16" Tube)	99" (178" gusseted)
Repro:	.0008	6 mil	8" (16" Tube)	99" (178" gusseted)
HD:	5 mic	25 mic	17"	52"

Converted Products:

Minimum Bag Length: 12" Maximum Bag Length: Unlimited

Capabilities:

Individually Folded

Drawstring & E-Z Tie Flaps

- Cored and Coreless rolls
- Gusset, Flat, Star Seal
- Flatpack, Individually cut
- Corona, 'print' treating
- Custom Sheets and Sheeting
- 2 Color Random Print

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

IT'S NOT ABOUT WHAT'S IN THE BAG, IT'S ABOUT WHAT'S ON THE BAG



Antimicrobial Can Liner Manufacturer

Antimicrobial Protection is well known for inhibiting the growth of odor-causing bacteria. Antimicrobial trash bags from Aluf provide important protection to help differentiate your offering with a solution that reduces unwanted bacteria.

Antimicrobial Protection is infused into the bag during manufacturing and will not wash off or wear away. It provides continuous protection for the duration of its use.

The antimicrobial feature can be added to any custom product.







Film Designation

BIOFLEX BioFlex is a brand of additives from Aluf Plastics which enhance the biodegradation of plastic trash bags in a biologically active land fill (not available in all areas). ASTM D5511 tests that represent biologically active landfills on a representative trash bag have shown about 50% biodegradation in 2 years.

HIGH DENSITY Aluf Plastics HDPE film is a blend of high molecular weight, high density resins. High Density offers superior dart strength performance over all our other products, and is the ideal material to be used for non-sharp objects.

SUPER HEXENE Our strongest material; a linear low proprietary resin blend, that provides the strength necessary to replace conventional liner grade film, allowing down gauging up to 50% in many applications.

HEXENE A high quality blend of linear low resin used in applications where other materials may not be suitable. This resin blend is used to offset the blocking and stretch of LDPE, while maintaining strength and impact resistance; allowing down gauging of up to 35% in many applications.

BUTENE A linear low resin blend that can usually be down-gauged 20% when replacing a conventional liner grade film. This film is used for applications where other materials may not be suitable. This resin blend is used to offset the blocking and stretch of the LDPE while maintaining strength and impact resistance.

BUTENE HIGH CLARITY The advantages of Butene, with the added benefit of higher clarity, when required.

CXP COEX SUPERTUFF® Three-layer co-extrusions, formulated for a higher performance rate and produced with a minimum of 10% post consumer and 80% recycled material. CXP contains Antimicrobial protection and qualifies for LEED certification.

METALOCENE/ALULENE BLEND Our exclusive blend of linear low recycled material and super strength prime resins. This material typically enables the user to utilize a bag 10% thinner, yet equal or stronger than a traditional LDPE bag, at a competitive price.

REPRO PLASTIC Aluf repro has consistently strong characteristics as it is a blend of our own virgin resins and outside recycled content. However, natural or clean film bags made from repro are somewhat cloudier than conventional industrial liner film, although contact clarity is sufficient for easy product identification. Repro plastic is not recommended for applications requiring FDA certification. 10% Post-Consumer additive is available upon request for most products.

ANTIMICROBIAL Antimicrobial Protection provides an added benefit by inhibiting the growth of odor-causing bacteria on the inside and outside surfaces of can liners. Aluf High Density products, PCM Pro-Lene and HCR Series as well as our Lo-Density LEED CXP and RCM products are manufactured with Antimicrobial Protection.

BIODEGRADABLE & COMPOSTABLE Aluf compostable and biodegradable bags are BPI Certified and made with natural polymers, including potato and corn starch and meet ASTM D6400 specifications. Bags are able to decompose under specific conditions of light, moisture and oxygen.

Custom Labeling Options

CO-LABEL OPTION

A 3x4 co-label can be applied to all stock products and may contain your reorder information on a standard label or a custom reorder label with your logo and company information.

Please allow five days lead time.



STANDARD CO-LABEL

3x4 label with 5 lines X 20 characters per line.



ADVANCED CO-LABEL

3x4 Label with customer logo and reorder info.

CUSTOM LABEL OPTION

A fully custom 3x4, 4x6 or 4x13 black & white label can be applied to all custom products, with a minimum order of 250 cases per item.

Please allow 3-4 weeks lead time.



Advanced 4x6 custom label with customer logo, address and bag specs.



Advanced 4x13 custom label with customer logo, address and bag specs.

PLEASE NOTE: All boxed red areas on the labels are Aluf internal data and cannot be moved or removed from any of Aluf custom or co-labels.



WHERE ARE YOU

ON YOUR JOURNEY TO SUSTAINABILITY?

Whether you're an eco-starter or an environmentalist, we're all looking to make smarter choices for our planet. Reducing pollution, shrinking landfills and keeping natural resources intact are all paths that lead to a more sustainable future.

Wherever you are on your sustainability journey, we've got a bag for you.









Enhanced Biodegradation Bags

Add **BioFlex** technology to (almost) any of our bags to enhance their biodegradation in a biologically active land fill (not available in all areas). ASTM D5511 tests that represent biologically active landfills on a representative trash bag have shown about 50% biodegradation in 2 years.



Less polyethylene than traditional liners yet strong and durable enough to get the job done.



Compostable Bags

BPI Certified and made with natural polymers, including potato and corn starch and meet ASTM D6400 specifications. Bags are able to decompose under specific conditions of light, moisture and oxvaen.

Our Sustainability Journey

- We operate our NY and TX manufacturing plants as zero waste facili-
- All internal plant scrap gets reincorporated into our products
- Every year we recycle 50 million pounds of plastic packaging
- Our facilities reuse over 25,000 gallons of wastewater a week
- Each year we recycle 1,000 tons of cardboard
- 3,000 gallons of oil from our machinery is recycled yearly
- As part of our buy-back program, we source scrap from other manufacturers and end users that we recycle to make new bags

Reprocessed Bags

Made with at least 90% recycled materials, up to 20% post-consumer content, our proprietary formulation of sustainable materials outperforms the competition.



LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING (S)

COEX

HIGH DENSITY

SPECIALTY ITEMS

HCR High Density

HCR Hi-Lene is our preferred value line, available in a wide range of industry standard sizes and gauges.

These bags have the additional benefit of Antimicrobial protection, which inhibits the growth of odor-causing bacteria on the inside and outside surfaces of the bag.

- Value Line
- Coreless Rolls
- Leak-Proof Star Seal



FEATURES





PERFORATED ROLLS

IDEAL FOR









HEALTHCARE



INSTIT	UTI	ONA
--------	-----	-----

ITEM CODE	SIZE	GALLON	GAUGE RATING	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
PC-171806C***	17x18	4	6	2,000	40/50	10	100
PC-202206C***	20x22	7	6	2,000	40/50	10	100
HCR-242406C*	24x24	7-10	6	1,000	20/50	10	100
HCR-242408C*	24x24	7-10	8	1,000	20/50	10	100
HCR-242708C	24x27	12	8	1,000	20/50	10	100
HCR-243306C*	24x33	12-16	6	1,000	20/50	10	100
HCR-243308C*	24x33	12-16	8	1,000	20/50	10	100
HCR-294416C	29x44	26	16	250	10/25	10	100
HCR-303708C	30x37	20-30	8	500	20/25	10	100
HCR-303710C	30x37	20-30	10	500	20/25	10	70
HCR-303713C	30x37	20-30	13	500	20/25	10	70
HCR-303716C*	30x37	20-30	16	500	20/25	10	70
HCR-334011C	33x40	33	11	500	20/25	10	70
HCR-334013C	33x40	33	13	500	20/25	10	70
HCR-334016C*	33x40	33	16	250	10/25	10	70
HCR-334022B**	33x40	33	22	250	10/25	10	70
HCR-366017C	36x60	50-55	17	200	8/25	10	70
HCR-386014C	38x60	55-60	14	200	8/25	10	70
HCR-386017C*	38x60	55-60	17	200	8/25	10	70
HCR-386022C*	38x60	55-60	22	150	6/25	10	70
HCR-404812C	40x48	45	12	250	10/25	10	70
HCR-404814C	40x48	45	14	250	10/25	10	70
HCR-404816C*	40x48	45	16	250	10/25	10	70
HCR-404822C*	40x48	45	22	150	6/25	10	70
HCR-434816C	43x48	56	16	200	8/25	10	70
HCR-434822C*	43x48	56	22	150	6/25	10	70

*Available in black. Change 'C' to 'B' i.e. HCR-434822B.

** Stock available in BLACK only

***No Antimicrobial

Non-stock items, min 2 SKIDs

PCM Pro-Lene®

Premium High Density can liners with added Antimicrobial Protection which inhibits the growth of odor-causing bacteria on the inside and outside surfaces of the bag.

• Extra Virgin Film

• Leak-proof Star Seal

Coreless Rolls



ITEM CODE	SIZE	GALLON	GAUGE RATING	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
PC-171806C*	17x18	4	6	2,000	40/50	10	100
PC-202206C*	20x22	7	6	2,000	40/50	10	100
PCM-243308C	24x33	12-16	8	1,000	20/50	10	100
PCM-303710C	30x37	20-30	10	500	20/25	10	70
PCM-303713C	30x37	20-30	13	500	20/25	10	70
PCM-334016C	33x40	33	16	250	10/25	10	70
PCM-386017C	38x60	55-60	17	200	8/25	10	70
PCM-404814C	40x48	45	14	250	10/25	10	70
PCM-404816C	40x48	45	16	250	10/25	10	70
PCM-404822C	40x48	45	22	150	6/25	10	70
PCM-434816C	43x48	56	16	200	8/25	10	70
PCM-434822C	43x48	56	22	150	6/25	10	70

^{*}No Antimicrobial



SCR Source Reduction

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

Metalocene High Density blend for super stretch. Up to 10% recycled content. Less polyethylene than traditional liners yet strong enough to "get the job done".

Cost Efficient
 Leak-proof Star Seal

Coreless Rolls



ITEM CODE	SIZE	GALLON	GAUGE RATING	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
PC-171806C	17x18	4	6	2,000	40/50	10	100
PC-202206C	20x22	7	6	2,000	40/50	10	100
SCR-242406C*	22x23	7-10	6	1,000	20/50	10	100
SCR-243306C	22x31	12-16	6	1,000	20/50	10	100
SCR-243308C	22x31	12-16	8	1,000	20/50	10	100
SCR-303710C*	29x36	20-30	10	500	20/25	10	70
SCR-303713C	29x36	20-30	13	500	20/25	10	70
SCR-334016C	32x38	33	16	250	10/25	10	70
SCR-334022C	32x38	33	22	250	10/25	10	70
SCR-386017C	37x58	55-60	17	200	8/25	10	70
SCR-386022C	37x58	55-60	22	150	6/25	10	70
SCR-404812C	39x46	45	12	250	10/25	10	70
SCR-404816C*	39x46	45	16	250	10/25	10	70

^{*}Available in black





FEATURES



PERFORATED ROLLS





INDUSTRIAL













LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

CXP COEX Supertuff®

- Cost-effective "Supertuff" bag
- Guaranteed quality and durability
- 3-ply construction Black and Gray
- Antimicrobial protection
- Minimum 80% recycled content; minimum 10% post-consumer content
- Reduces your carbon footprint by as much as 20%
- Individually folded




Supports Municipal, State and Federal LEED initiatives

Antimicrobial and odor protection NTIMICROBIAL



VCX COEX Supertuff®

VCX COEX Supertuff Bags are a highly engineered tri-laminate product, that incorporates extra strength at lower gauges, providing an advantageous cost compared to traditional black bags. These bags are starsealed for leak-proof protection.



- **COEX technology** uses less PE for improved sustainability
- Star Seal provides leak-proof bottom
- **Minimum 80% recycled materials**



FEATURES

STAR SEAL



INDIVIDUALLY FOLDED

















FOOD SERVICE









STAR SEAL



INDIVIDUALLY FOLDED

IDEAL FOR



CXP-2433X*

CXP-2945

CXP-3036X

CXP-3339X

CXP-3339XX

CXP-3339XXX

CXP-3347X

CXP-4347X

CXP-4347XX

CXP-3036XXX



INDUSTRIAL







INSTITUTIONAL





33 33 40-45

GALLON

12-16

26

20-30

20-30

33

56

56

GAUGE RATING

1.25

1.25

1.5

2.0

1.5

1.7

2.0

1.5

1.5

1.7

2.0

250

200

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

SIZE

15x9x33

29x45

30x36

30x36

33x39

33x39

33x39

33x47

43x47

43x47

CXP-3858X 55-60 1.5 38x58 CXP-3858XX 55-60 1.7 38x58 CXP-3858XXX 38x58 55-60 2.0 CXP-4047X 40x47 45 1.5 CXP-4047XX 40x47 CXP-4047XXX 40x47 45 2.0

CXP-4347XXX 43x47 *Gusset not individually folded

CASE LAYER

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

10

80

100

100

100

100

100

100

80

70

70

70

100

70

80

70

70

ITEM CODE

VCX-3036

VCX-3036X

VCX-3339

VCX-3339X

VCX-3339XX

VCX-3339XXX

VCX-3347XXX

VCX-3658X

VCX-3858

VCX-3858X

VCX-3858XX

VCX-3858XXX

VCX-4047

VCX-4047X

VCX-4047XX

VCX-4047XXX

VCX-4347XXX

VCX-4347X

SIZE

30x36

30x36

33x39

33x39

33x39

33x39

33x47

36x58

38x58

38x58

38x58

38x58

40x47

40x47

40x47

40x47

43x47

43x47

GALLON

20-30

20-30

33

33

33

33

40-45

50-55

55-60

55-60

55-60

55-60

45

45

45

45

56

GAUGE RATING

1.25

1.5

1.25

1.5

2.0

2.0

1.5

1.25

1.5

1.7

2.0

1.25

1.5

1.7

2.0

1.5

2.0

PACK

100

100

100

100

100

100

100

100

100

100

100

100

100

100

100

CASE LAYER

10

10

10

10

10

10

10

10

10

10

10

10

10

100

100

100

100

100

100

80

80

80

80

70

70

80

80

70

80

LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

COEX

RCM COEX Supertuff®

- Guaranteed quality and durability
- 3-ply construction
- Antimicrobial protection
- Minimum 80% recycled content
- Green product without added cost
- Reduces your carbon footprint by as much as 20%



FEATURES





PERFORATED ROLLS















ITEM CODE	SIZE	GALLON	GAUGE RATING	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
RCM-2944	29x44	26	1.25	200	10/20	10	100
RCM-3036	30x36	20-30	1.25	100	5/20	10	100
RCM-3036X	30x36	20-30	1.5	100	5/20	10	100
RCM-3339	33x39	33	1.25	100	5/20	10	100
RCM-3339X	33x39	33	1.1	100	5/20	10	100
RCM-3347X	33x47	40-45	1.5	100	5/20	10	100
RCM-3853	38x53	44	1.25	100	5/20	10	100
RCM-3853X	38x53	44	1.5	100	5/20	10	100
RCM-3853XXX	38x53	44	2.0	100	5/20	10	70
RCM-3858	38x58	55-60	1.25	100	5/20	10	100
RCM-3858X	38x58	55-60	1.5	100	5/20	10	80
RCM-3858XX	38x58	55-60	1.7	100	5/20	10	70
RCM-3858XXX	38x58	55-60	2.0	100	5/20	10	70
RCM-4047	40x47	45	1.25	100	5/20	10	100
RCM-4047X	40x47	45	1.5	100	5/20	10	100
RCM-4047XX	40x47	45	1.7	100	5/20	10	80
RCM-4047XXX	40x47	45	2.0	100	5/20	10	70
RCM-4347X	43x47	56	1.5	100	5/20	10	100
RCM-4347XXX	43x47	56	2.0	100	5/20	10	70
BIO RCX-3853X	38x53	50-55	1.1	100	5/20	10	100

ALUF PLASTICS

Air Force One.

Aluf's various can liners have been used inside the White **House and aboard**



GAUGE RATING

1.25

1.5

2.0

1.5

1.25

1.5

1.7

2.0

2.0

1.5

1.7

2.0

1.5

PACK

100

100

100

100

100

50

100

100

100

100

money and the environment.

- source reduction

5/20

5/20

5/20

5/20

5/20

5/20

5/20

5/10


5/20

5/20

5/20

5/20

5/10





FEATURES





















_			
_			
_			
_			
_			
_			
_			

RCT-30

RCT-33X

RCT-32X

RCT-60

RCT-60X

RCT-60XX

RCT-60XXH

RCT-60XXX

RCT-45X

RCT-45XX

RCT-45XXX

RCT-56XXX

BIO RCT-55XXH

RCT-33XXX



WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

WITH E-Z TIE

30x36

33x46

38x58

38x58

38x58

38x58

38x58

43x42

38x49

30

33

33

40-45

55-60

55-60

55-60

55-60

55-60

45

56

50-55





CASE LAYER

10

10

10

10

10

10

10

10

10

10

10

10

100

100

100

100

100

70

100

70

100

100

70

70

LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING (5)

HIGH DENSITY

PERFORATED ROLLS

SPECIALTY ITEMS

PACKAGING

PG6/NY Series

Made from at least 90% recycled materials, these extra-thick BLACK opaque bags are reliably strong, a consistent and steady favorite. They open easily and are packed in dispenser cartons for easy storage.

- Extra-thick
- Black opaque
- Gusset, Individual Fold



FEATURES

\geq	
GUS	SET SEAL



INDIVIDUALLY FOLDED











ITEM CODE	SIZE	GALLON	GAUGE	PACK	CASE LAYER	PALLET
PG6-2420*	15x9x23	7-10	1.2	500	10	70
PG6-3320*	15x9x31	12-16	1.2	500	10	60
PG6-3720	16x14x36	20-30	1.2	250	10	70
PG6-3740	16x14x36	20-30	1.4	100	10	100
PG6-3751	16x14x36	20-30	1.5	100	10	90
NY37XX	16x14x36	20-30	2.0	100	10	100
PG6-4040	23x10x39	33	1.4	100	10	100
PG6-4051	23x10x39	33	1.5	100	10	100
NY40X	23x10x39	33	1.7	100	10	100
PG6-4060	23x10x39	33	2.0	100	10	70
NY40XXX	23x10x39	33	2.3	100	10	70
PG6-4640	23x17x46	45	1.4	100	10	100
PG6-4651	23x17x46	45	1.5	100	10	70
PG6-4650	23x17x46	45	1.6	100	10	70
NY48X	23x17x46	45	1.7	100	10	70
PG6-4660	23x17x46	45	2.0	100	10	60
NY48XXX	23x17x46	45	2.3	100	10	60
PG6-4751	23x20x46	56	1.5	100	10	70
PG6-4750	23x20x46	56	1.6	100	10	70
COMM 55G 1.35M*	23x12.5x55.5	50-55	1.35	50	10	140
PG6-5851	22x14x58	50-55	1.5	100	10	70
NY58X	22x14x58	50-55	1.7	100	10	70
NY58XXX	22x14x58	50-55	2.3	100	10	50
PG6-6051	22x16x58	55-60	1.5	100	10	70
PG6-6050	22x16x58	55-60	1.6	100	10	70
NY60PLUS	22x18x55	55-60	1.8	100	10	60
PG6-6060	22x16x58	55-60	2.0	100	10	60
NY603X	22x16x58	55-60	2.7	50	10	70
PG6-6551*	26x24x48	65	1.5	50	10	100
PG6-6550*	26x24x58	65	1.6	50	10	100
PG6-9560	32x29x68	95	2.0	50	10	70

^{*}Not individually folded

A-T Series

Expanding our stock offering of thick 'PG/NY' line, the 'A-T' Series is made from Aluf's specially blended recycled film. With great performance for tough jobs, bags are packed in easy-to-use white dispenser cartons and are available in selected sizes.

- Leak-proof Star Seal
- Individually folded



	A-T40471 A- 40 x 46 FO 100 BAGS INCY ON 40.45 GALLON	1
	100 BN BLAUDN 40.45 GALLON	

FEATURES



INDIVIDUALLY FOLDED

FEATURES

ITEM CODE	SIZE	GALLON	GAUGE	PACK	CASE LAYER	PALLET
A-T2432H*	15x9x32	12-16	0.8	500	10	70
A-T4047H	40x46	45	1.0	100	10	100
A-T3858H	38x58	55-60	1.0	100	10	100
A-T4347XH	43x47	56	1.3	100	10	100
A-T4347XXH	43x47	56	1.6	100	10	70

^{*} Gusset seal, bulk folded

RL Series

Let's Roll? That's where the RL Series steps in. This line provides the strength and reliability of the PG Series, but with the added benefit of a star seal coreless perforated roll.

- Leak-proof Star Seal
- Black coreless rolls



ITEM CODE	SIZE	GALLON	GAUGE	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
RL-2423H	24x23	7-10	0.8	500	10/50	10	70
RL-2432H	24x32	12-16	0.8	500	500 10/50		100
RL-3036XH	30x36	20-30	1.2	100	5/20	10	100
RL-3339H	33x39	33	1.0	100	5/20	10	100
RL-3339XH	33x39	33	1.2	100	5/20	10	100
RL-3339XXH	33x39	33	1.5	100	5/20	10	90
RL-3646XH	36x46	44	1.2	100	5/20	10	100
RL-4047H	40x46	45	1.0	100	5/20	10	100
RL-4047XH	40x46	45	1.2	100	5/20	10	100
RL-4047XXH	40x46	45	1.5	100	5/20	10	70
RL-404720	40x46	45	2.0	50	5/10	10	100
RL-4347H	43x47	56	1.0	100	5/20	10	100
RL-4347XH	43x47	56	1.2	100	5/20	10	100
RL-4347XXH	43x47	56	1.5	100	5/20	10	70
RL-434720	43x47	56	2.0	50	5/10	10	100
RL-3858H	38x58	55-60	1.0	100	5/20	10	100
RL-3858XH	38x58	55-60	1.2	100	5/20	10	70
RL-3858XXH	38x58	55-60	1.5	100	5/20	10	70
RL-385820	38x58	55-60	2.0	50	5/10	10	100
UL 3MDRUM	38x58	55-60	3.0	40	10/4	10	70
UL-39586BK	39x58	55-60	6.0	15	1/15	10	70



LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

Curbside Receptacle Liners

Curbside Receptacle Liners are specifically designed to fit standard 65 and 95 gallon roll out receptacles. Made from low density polyethylene for strength and flexibility.

Clear for general refuse and building materials and are gauged accordingly.

Puncture and tear resistant

95 gallon curbside receptacles



ITEM CODE	SIZE	GALLON	GAUGE	COLOR	PACK	CASE LAYER	PALLET
PG6-6551	26x24x48	65	1.5	Black	50	10	100
PG6-6550	26x24x58	65	1.6	Black	50	10	100
COM48	26x24x48	65	2.7	Black	100	6	36
PG6-9560	32x29x68	95	2.0	Black	50	10	70
95G15CL	32x29x68	95	1.5	Clear	50	7	70



Drum Liners

Aluf Drum Liners are available in a 55 gallon size with a 3 mil thickness that is ideal for heavy duty use.

Black

FLAT PACK

- Star Seal
- Individually folded



I	TEM CODE	SIZE	GALLON	GAUGE	COLOR	PACK	CASE LAYER	PALLET
UL 3M	DRUM	38x58	55-60	3.0	Black	40	10	70
UL-395	586BK	39x58	55-60	6.0	Black	15	10	70
UL-395	586CL	39x58	55-60	6.0	Clear	15	10	70

Compactor/Contractor



Black Tubing and Compactor Bags

Maintaining our continual commitment to the big city market, we have identified and stock the most popular Compactor Bags and Tubing sizes for your convenience. Tubing can be sized to any length by simply cutting and twist-tying the ends.

Manufactured from a rugged blend of reprocessed material in an extra heavy thick gauge. Packed in a brown carton on a 3" core.







ITEM CODE	SIZE	GALLON	GAUGE	PACK	CASE LAYER	PALLET	FEET/ROLL
COM48	26x24x48	65	2.7	100	6	36	-
TUB29	29	Tubing	4.0	269'	7	49	269
TUB32	32	Tubing	4.0	244'	7	49	244
ULR-XL COMPACTOR	28.25x12.75x33.5	Compactor	2.5	40	37	296	-

Contractor Bags

We manufacture these contractor bags from the highest quality reprocessed resin with a tubular construction and a flat bottom seal. These liners have superior strength and are packed in retail dispenser cartons.





















PIC #	ITEM CODE	SIZE	GAUGE	COLOR	PACK	CASE LAYER	PALLET	PACK TYPE	UNITS/ MASTER
1	3MCON20	32x46	3.0*	Black	20	36	360	Rolls/Flaps	
2	COMMANDER 42-28 2Mil	34x38	2.0	Black	28	9	45	Rolls/Drawstring	6
3	CONT20EV PALLET	32x46	2.5	Black	20	32	256	Rolls	
4	UL CONTRACTOR 20 4FLAP v2	32.75x44.5	3.0	Black	20	24	96	Rolls	
5	UL CONTRACTOR 50 4FLAP v2	32.75x44.5	3.0	Black	50	12	48	Rolls	
6	UL SHORT CONTRACTOR 50 4FLAP	32x38.75	3.0	Black	50	15	60	Rolls	
7	COMMANDER 42-20 3Mil	32.75x44.5	3.0	Black	20	40	200	Rolls	
8	COMMANDER 42-32 4Mil	33x45.5	4.0	Black	32	26	130	Individual Folded	
9	RU CONTRACTOR 50	33x48	3.0	Black	50	14	112	Individual Folded	
10	CONT42FL3M61B20	32x42	2.4	Black	20	28	252	Individual Folded	
11	CONT 334830C	33X48	3.0	Clear	20	10	100	Flatpack	





SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

COEX

Clear 50/50

Clear bags are excellent for recycling and indispensable for identification or security purposes. Made from a blend of clear recycled and virgin resins. These are our heaviest and most popular clear bags.









GANG FOLDED

IDEAL FOR



INDUSTRIAL



ITEM CODE	SIZE	GALLON	GAUGE	PACK	CASE LAYER	PALLET
24231CL	15x9x23	7-10	1.0	500	10	70
24311CL	15x9x31	12-16	1.0	500	10	60
36012CL	16x14x36	20-30	1.2	100	10	100
39012CL	20x13x39	33	1.2	100	10	100
39015CL	20x13x39	33	1.5	100	10	100
39002CL	20x13x39	33	2.0	100	10	90
174612CL	23x17x46	45	1.2	100	10	100
174615CL	23x17x46	45	1.5	100	10	100
17462CL	23x17x46	45	2.0	100	10	70
434615CL	23x20x46	56	1.5	100	10	70
165812CL	22x16x58	55-60	1.2	100	10	90
165815CL	22x16x58	55-60	1.5	100	10	70
16582CL	22x16x58	55-60	2.0	100	10	60
95G15CL	32x29x68	95	1.5	50	7	70
COMM 55G 1.1M CLR	23x12.5x55.5	50-55	1.1	50	10	140

Clear 50/50 Coreless Rolls

Clear bags are excellent for recycling and indispensable for identification or security purposes. Made from a blend of clear recycled and virgin resins. These are our heaviest and most popular clear bags.

ITEM CODE	SIZE	GALLON	GAUGE	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
CRL-385815	38x58	55-60	1.5	50	5/10	10	100
CRL-385820	38x58	55-60	2.0	50	5/10	10	100
CRL-404715	40x46	45	1.5	50	5/10	10	100
CRL-404720	40x46	45	2.0	50	5/10	10	100
UL-39586CL	39x58	55-60	6.0	15	1/15	10	70







7-10

12-16

20-30

20-30

33

44

45

56

56

55-60

High Performance Super Hexene Star Seal Leak-proof Bags

CSR Series is manufactured from Prime Super Hexene resin that offers extra high performance strength and unsurpassed stretch. A cost benefit over heavier gauge repro bags.

- Puncture- and tear-resistant
- Super strength
- Easy-to-use rolls
- Source reduction
- Made from USDA and **FDA approved materials**
- High Performance
- LD Super Hexene

CSR10

CSR16

CSR301

CSR302

CSR332

CSR334

CSR44T2

CSR452

CSR454

CSR562

CSR564

CSR602

CSR604

• Coreless Rolls Star Seal

24x23

22x31

30x36

37x48

40x46

40x46

43x46

43x46

38x58



1.0

1.0

1.0

1.5

1.5

1.5

1.5

2.0

1.5

2.0

1.5

500

500

250

100

100

100

100

20/25

20/25

10/25

5/20

5/20

5/20

5/20

5/20

5/20

5/20





10

10

10

10

10

10

10

10

10

10

10

100

100

100

100

100

100

100

100

100

100

100

90







IDEAL FOR









HP Clear Liners

High Performance Clear, Low-Density. Super Hexene, gusset sealed bags, flat packs. This PREMIUM resin has superior strength and stretch than heavier gauge repro blend.





ITEM CODE	SIZE	GALLON	GAUGE RATING	PACK	CASE LAYER	PALLET
HP24311CL	15x9x31	12-16	1.0	500	10	70
HP174612CL	23x17x46	45	1.2	100	10	100
HP174615CL	23x17x46	45	1.5	100	10	100
HP434615CL	23x20x46	56	1.5	100	10	100
HP165812CL	22x16x58	55-60	1.2	100	10	100
HP165815CL	22x16x58	55-60	1.5	100	10	100
HP16582CL	22x16x58	55-60	2.0	100	10	70



SPECIALTY ITEMS

PACKAGING

COEX

HIGH DENSITY

BLUE RECYCLING

HP High Performance

Superior strength and stretch

The HP Series Bags are made from prime Super Hexene material and have superior strength. These bags are equivalent to our repro blend, yet more cost-efficient. Packed in a convenient white dispenser carton.

Super Hexene

Star Seal













INSTITUTIONAL




CONTRACTING

II LIN CODE	SIZE	GALLON	GAUGE RATING	FAOR	CASE LATER	PALLET
HP-RBL31*	15x9x31	12-16	1.2	250	10	100
AM RECYCLING BLUE**	33x38	33	1.2	50	24	264
HP-RBL3346	33x46	40-45	1.2	100	10	100
HP-RBL46	40x46	45	1.2	100	10	110
HP-RBL55	38x55	55-60	1.2	100	10	100
Gusset **Coreless rolls						
Blue Recyc	ling B	ags				
	_	_				

Blue Recycling Bags prove tough enough to withstand rough curbside pick-up. Made from a material blend of virgin and recycled resins, packed in a convenient white dispenser carton.



Star Seal



HITE B A G S

Coreless Rolls

Ideal for use in offices, stores and medical facilities. Star seal assures leak-proof security. Bags are made from prime virgin material.

SIZE

24x31

30x36

33x39

40x46

38x58

24x27.38

Bright and clean-looking, these leak-proof white bags are ideally suited for offices, department stores and medical facilities. Star seal assures leak-proof security. Bags are

GALLON

12-16

20-30

33

45

55-60

13

GALLON

12-16

20-30

33

55-60

GAUGE

0.5

0.7

0.7

0.7

0.7

0.65

500

200

150

100

100

120

10/50

8/25

6/25

4/25

4/25

2/60

- Leak-proof security
- Coreless perforated rolls
- Star Seal

CR2431W

CR3036W

CR3339W

CR4046W

CR3858W

ULR-TK13G-SC-120C

Flat Pack

Leak-proof security

Flat Pack

made from prime virgin material.

SIZE

15x9x31

30x36

33x39

38x58

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS



10

10

10

10

10

100

90

80

100

100

252

STAR SEAL



















*Gusset seal

W31*

W36

W39

W58

GAUGE

0.5

0.7

0.7

0.7

500

200

150

100

100

100

120

100

CASE LAYER

10

10

10

10

SPECIALTY ITEMS

PACKAGING (A)

Ο M M A N D E R



STAR SEAL



FLAT PACK

IDEAL FOR



JANITORIAL



INDUSTRIAL

MUNICIPAL





Super Hexene

Manufactured from a premium grade Super Hexene resin, these flat pack bags are star sealed for leak-proof protection.

These remarkably rugged Low Density bags are punctureand tear-resistant with unsurpassed stretch. These bags can comfortably withstand both sharp and heavy objects without causing zippering or straight line tears. Their characteristics make them ideal for all uses.

Leak-proof

- Star Seal
- Super Hexene material
- Superior stretch
- Easy-to-use dispenser carton
- Source reduction
- Puncture-resistant



ITEM CODE	SIZE	GALLON	COLOR	STRENGTH	PACK	CASE LAYER	PALLET
24-5BK*	15x9x23	7-10	Black	L	500	10	100
24-5CL*	15x9x23	7-10	Clear	L	500	10	100
33-5BK*	15x9x31	12-16	Black	L	500	10	100
33-5CL*	15x9x31	12-16	Clear	L	500	10	100
33HBK**	15x9x31	12-16	Black	Н	500	10	70
37НВК	30x36	20-30	Black	н	250	10	100
37HCL	30x36	20-30	Clear	н	250	10	100
37MCL	30x36	20-30	Clear	М	250	10	100
40HBK	33x39	33	Black	н	250	10	100
40HCL	33x39	33	Clear	н	250	10	100
40MCL	33x39	33	Clear	М	250	10	100
H482C	23x17x46	45	Clear	хн	125	10	100

*Butene material, gusset seal **Gusset seal







SPECIALTY B A G S

Drawstring

Drawstring bags are manufactured using prime super strength high performance Octene LLDPE material. These bags are stronger than heavier gauge recycled bags.

- Super strength
- Source reduction
- Puncture- and tear-resistant
- Easy-to-use interleaved coreless rolls

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS





HIGH DENSITY

COEX

LOW DENSITY BLACK REPRO



FLAT SEAL



ITEM CODE	SIZE	GALLON	GAUGE	COLOR	MATERIAL	PACK	MASTER CASES LAYER	MASTERS PER PALLET	BOX TYPE
DS8W 22x22 LAV	22x22	8	0.7	White	Super Hexene	200	24	168	Commercial Box
DS18W COMP	25.63x28	Compactor	2.0	White	Super Hexene	50	24	168	Commercial Box
UL 1318G	24x33	12-16	1.1	Black	Repro	30	20	100	4 Retail Cartons/Case
DS13C 24x27	24x27	13	0.69	Clear	Super Hexene	60	28	280	Commercial Box
Commander 13-100 DS .72mil	24x27	13	0.72	White	Super Hexene	100	28	280	Retail Club
ULR-13G/25-FE-DS Lavender	24x25.13	13	0.72	White	Super Hexene	25	20	120	6 Retail Cartons/Case
ULR-13G/25-FE-DS	24x25.13	13	0.72	White	Super Hexene	25	20	120	6 Retail Cartons/Case
ULR-13G/25-FE-DS Fresh	24x25.13	13	0.72	White	Super Hexene	25	20	120	6 Retail Cartons/Case
ULR-13G/25-FE-DS Citrus	24x25.13	13	0.72	White	Super Hexene	25	20	120	6 Retail Cartons/Case
UL TALL KITCHEN 50	24x25.13	13	0.9	White	Super Hexene	50	35	105	Retail Club
UL TALL KITCHEN 100	24x25.13	13	0.9	White	Super Hexene	100	35	105	Retail Club
DS13W 24x27	24x27	13	0.9	White	Super Hexene	200	10	100	Commercial Box
ULR-13G/30-FE-DS Lavender	24x25.13	13	0.9	White	Super Hexene	30	10	50	12 Retail Cartons/Case
ULR-13G-DS-44C	24x27	13	0.9	White	Super Hexene	44	8	40	12 Retail Cartons/Case
ULR-13G-DS-48C LM	24x27	13	0.9	White	Super Hexene	44	8	40	12 Retail Cartons/Case
NEAT-13G-200	24x25.13	13	1.0	Black	Repro	200	20	100	Retail Club
NEAT-13G-40FE	24x25.13	13	1.0	Black	Repro	40	12	84	6 Retail Cartons/Case
NEAT-13G-40FE-BIO	24x25.13	13	1.0	Black	Repro	40	12	72	6 Retail Cartons/Case
DS30BLT 30x33	30x33	20-30	0.8	Blue Tint	Super Hexene	36	24	360	Commercial Box
DS30C 30x33	30x33	20-30	0.8	Clear	Super Hexene	36	24	360	Commercial Box
Commander 30-40 DS 0.9mil	30x33	20-30	0.9	Black	Super Hexene	40	39	429	Retail Club
ULR-30G-DS-28C	30x33	20-30	1.0	Black	Super Hexene	28	10	50	12 Retail Cartons/Case
NEAT-30G-25FE	30x33	20-30	1.1	Black	Repro	25	40	360	6 Retail Cartons/Case
NEAT-30G-25FE-BIO	30x33	20-30	1.1	Black	Repro	25	40	360	Retail Club
NEAT-30G-120	30x33	20-30	1.1	Black	Repro	120	20	120	Retail Club
ULR-21G-DS-45C	28x34	21	1.0	White	Super Hexene	45	33	231	Commercial Box
DSX-23C	28.5x39	26	0.9	Clear	Super Hexene	200	10	100	Commercial Box
ULR-30G-FE-DS-20C	28x30	30	1.1	Black	Super Hexene	20	10	50	12 Retail Cartons/Case
UL 33 GAL. BLUE RECYCLING-DS	33.5x38	33	0.9	Blue Tint	Super Hexene	45	35	105	Retail Club
DS33K	34x40	33	1.0	Black	Super Hexene	150	10	70	Brown Box
UL 33 GALDS	33.5x38	33	1.4	Black	Low Density	86	17	51	Retail Club
Commander 39-40 1mil	33x41	39	1.0	Black	Super Hexene	40	31	279	Retail Club
DS39C 33x40	33x40	39	1.0	Clear	Super Hexene	70	30	210	Commercial Box
COMMANDER 42-28 2Mil	34x38	42	2.0	Black	Repro	28	9	45	6 Retail Cartons/Case
DSX-55K	40.5x45.5	55-60	1.25	Black	Super Hexene	100	10	100	Commercial Box
DS8W 22x22 LAV	22x22	8	0.7	White	Super Hexene	200	24	168	Commercial Box
ULR-8G-DS-90C	20x29	8	0.9	White	Super Hexene	90	42	378	Commercial Box



LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

COEX

SPECIALTY

Printed Red Infectious Waste Bags

These Red Printed Infectious Waste Bags sufficiently fulfill the federal DOT strength requirements for the disposal of medical waste and are packed in a white dispenser carton.

ITEM CODE	SIZE	GALLON	STRENGTH	PACK	CASE LAYER	PALLET
IWP48	40x47	45	XXH	100	10	100



Custom Sizes Available









Basic Infectious Warning Print




Standard Biohazard Infectious Waste

Logo can be applied to any bag.

two different print options for **custom Infectious Waste Bags**

Aluf Plastics

offers



only applied to bags that are made with a minimum of 3 mil LDPE or 1.2 Mil Super Hexene material.

SPECIALTY

Compostable Bags

Help the environment with Aluf's 100% compostable and biodegradable liners. These liners meet ASTM #D6400 standard

- Designed to be composted in a commercial/industrial



STAR SEAL



IDEAL FOR













3" CORE ROLLS









specification biodegradable and compostable plastics.

- Meets ASTM #DS6400 Standard specifications
- facility and are NOT suitable for backyard composting



STAR SEAL BAGS, NATURAL, PRINTED

ITEM CODE	SIZE	GALLON	GAUGE	PACK	INNER PACK Rolls/Per Roll	CASE LAYER	PALLET
EC2433E85	24x33	12-16	.85	100	4/25	10	100
EC3348E85	33x48	42	.85	50	2/25	10	100
EC3858E85	38x58	55-60	.85	35	1/35	10	100
EC4248E85	42x48	56	.85	40	2/20	10	100

Mattress Bags

Mattress Bags keep your mattress and box springs clean during moving or storing while protecting against soil, dust and water damage.

- Heavy gauge clear bag
- Made of virgin and recycled resins

HIGH PERFORMANCE MATTRESS BAGS/3" CORES

ITEM CODE	SIZE	GAUGE RATING	PACK	CASE LAYER	PALLET	PACK	SEAL
HP MAT TWIN	38x12x90	2.0	50	5	20	3" Core	Gusset
UL-MAT FULL-100C**	54x11x90	2.5	100	4	16	3" Core	Gusset
HP MAT FULL	54x12x90	2.5	30	7	28	3" Core	Gusset
HP MAT QUEEN	60x12x94	2.5	30	7	28	3" Core	Gusset
HP MAT KING	78x12x95	3.0	25	7	28	3" Core	Gusset
RETAIL SINGLE-PACKE	12 POUCHES PE	R MASTER					
UL-MAT-QN-12C*	60x10x92	2.0	12	10	100	1 per pouch	Gusset
UL-MAT-KG-12C*	78x10x96	2.0	12	10	100	1 per pouch	Gusset

^{*}Retail packs made of Clear Repro

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

ÜLTRASAC

MATTRESS BAG

QUEEN SIZE

^{**}Commercial pack, Repro

LOW DENSITY VIRGIN / BLEND

HIGH DENSITY

COEX

Gusset Seal

Center Slit Film

Center Fold

S P E C I A L T Y BAGS

FEATURES





GANG FOLDED

IDEAL FOR





HOSPITALITY



HOSPITALITY

SPECIALTY ITEMS

PACKAGING

Poly/Food Bags

Our selection of FDA approved food bags are manufactured from virgin, high-clarity resin and are conveniently packaged in white dispenser cartons.

FOOD BAGS

Perfect for packaging a variety of foods, including bakery items, cheese, meat and frozen food products.

ICE BUCKET BAGS

Manufactured from high-impact virgin resin and designed to withstand extreme cold temperatures.

UTILITY ROLLS

Extremely versatile bags. They are ideal for a variety of applications, including bakery, produce and small parts inventory; packed in a white box on a 1.5" core.



ITEM CODE	SIZE	DESCRIPTION	STRENGTH	PACK	CASE LAYER	PALLET
FB428	4x2x8	Pint	L	1000	25	375
FB4212	4x2x12	Quart	L	1000	24	264
FB6315R	6x3x15	3 Quart	L	1000	16	224
FB8315	8x3x15	5 lb Ice Bucket Liner	L	1000	10	140
FB8418R	8x4x18	Med Poultry	L	1000	10	140
FB8418	8x4x18	Hvy Poultry	н	1000	10	100
FB8418H	8x4x18	X Hvy Poultry	ХН	1000	10	50
FB10842	10x8x24	X Large Polybag	ХН	500	10	100
FB10845	10x8x24	X Large Polybag	Н	500	10	100
FB12802	12x8x30	XX Large Poultry	ХН	500	10	70
A35*	21x6x35	Bun Pan Cover	М	200	12	96

*On a 1.5" cored roll

Aluf's high-clarity FDA approved bags are perfect for packaging foods of all types

INDUSTRIAL POLY

Industrial Poly Products Include:

Pallet Covers and Gaylord Liners

Available in custom sizes and standard colors. Virgin and Repro Low Density material.

Box Liners

Available for industrial, food processing and retail applications in Low Density Polyethylenes, manufactured in Butene, Super Hexene, LLDPE or Repro.

Industrial Bags and Sheeting

Available flat pack as well as on a roll.

Custom Capabilities

Bags: Flat Pack **Cored Rolls Coreless Rolls**

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

Sheeting: Center Slit Center Fold

> Center Slit Gusseted **Double Wound Sheeting**

Tubing: Continuous Tubing from 10" to 99" wide

Gusseted Tubing to a maximum of 178" wide


Perforated Tubing/Sleeves Bags on a Roll

Roll diameters up to 11" depending on size

Materials: LLDPE, Hexene, Super Hexene. Butene, Butene High Clarity, Coex Super Tuff CXP,

Metalocene/AKA Alulene Blend

All prime resins are FDA approved. Repro, antimicrobial, additives, ultraviolet blockers, tints and colors, non-slip, medium slip, high slip, fractional melt, anti-static and compostable



Styles:

Flat Seal

Side Seal

Bags

Star Seal

Bottom Gusset

M Fold

Center Slit

Gusseted Bags

Lav Flat Tubing

Gusseted



LOW DENSITY VIRGIN / BLEND

SPECIALTY ITEMS

PACKAGING

HIGH DENSITY

TABLE COVERS

White/Clear Table Covers

Aluf Plastic table covers are great for parties, banquets, trade shows, schools, community centers, camps, houses of worship, luncheons and large events. White/clear, disposable table coverings coordinate with most tableware or drinkware designs and decorations.

- Roll Table Cover rolls/sheets
- Length: perforated every 103" or uncut
- Width: 36" or 64"
- 36" will cover 400 standard 8 ft. tables
- 64" will cover dining table



ITEM CODE	DESCRIPTION	SIZE	GAUGE	PACK	PALLET
Table Cover 36x103	White Table Covers on Roll	36"X103"	0.8 Mil	400 Table covers on 3" Core Roll	36
TableCovers 120 XH	Clear Table Covers Individually Folded	120"X64"	1.05 Mil	30 Individual Sheets	252
TableCovers 144 XH	Clear Table Covers Individually Folded	140"X64"	1.05 Mil	30 Individual Sheets	120

Custom sizes available, minimum 2 skids

SLIM-FIT GUIDE









44 Gallon

Example

Poly Sheeting

Gritty construction dust is the bane of any remodeling project or large home repair job, whether you're hiring a contractor or doing the work yourself. Dust can damage furniture and rugs and ruin the finish on a hardwood floor.







ITEM CODE	SIZE	GAUGE	CASE LAYER	PALLET
PS09400.31	9ft x 400ft sheeting	7.8 Mic	19	152
PS101006	10ft x 100ft sheeting	6 Mil	6	36
PS101006B	10ft x 100ft sheeting	6 Mil	5	25
PS201004	20ft x 100ft sheeting	4 Mil	5	25
PS201006	20ft x 100ft sheeting	6 Mil	5	25
PS201006 FR*	20ft x 100ft sheeting	6 Mil	5	25



Custom sizes available.

Asbestos Disposal Bags

These Polyethylene asbestos disposal bags are specifically intended to carefully contain and recognize asbestos fibers as well as scrap materials for harmless handling and safe disposal. They are visibly printed to alert people of hazardous contents.

Marked with Asbestos Warning. Meets OSHA Standards for Asbestos Abatement. Printed Asbestos Disposal Bag.

ITEM CODE	SIZE	GALLON	COLOR	GAUGE	PACK	CASE LAYER	PALLET
UL-ASB-4 MIL-50	30x40	33	Black	4.0	50	10	80
UL-ASB-6 MIL-32	30x40	33	Black	6.0	32	10	70



Aluf Plastic operates a fleet of modern trucks to ensure a quick response and swift delivery

Covers: Pallet Dry Wall Lumber Yard





Pallet Cover

ITEM CODE	SIZE	MATERIAL	GAUGE	PACK	COLOR	PACK TYPE	
Dry Wall/Lumber Y-Seal Cover*	93x224	Low Density	3 mil	15	Natural	3" Core Roll	

*Custom order, minimums apply

Available with UVI protection and custom printing

SLIM-Fit™

Typical Fit

LOW DENSITY ITEMS BY GALLON SIZE

CROSS REFERENCE


















Gallon Size	CXP	VCX	PG6/NY	RCM	RL	RCT	CSR	50/50	HP	Gauge/ Rating
7-10					RL-2423H		CSR10	24231CL		1.0
7-10			PG6-2420							1.2
12-16					RL-2432H		CSR16	24311CL	HP24311CL	1.0
12-16	CXP-2433X		PG6-3320							1.2
20-30		VCX-3036	PG6-3720	RCM-3036	RL-3036XH	RCT-30	CSR301	36012CL		1.2
20-30			PG6-3740				CSR302			1.4
20-30	CXP-3036X	VCX-3036X	PG6-3751	RCM-3036X						1.5
20-30	CXP-3036XXX	VCX-3036XXX	NY37XX					36002CL		2.0
26	CXP-2945			RCM-2944						1.2
32	CXP-3347X					RCT-32X				1.5
32		VCX-3347XXX								2.0
33					RL-3339H					1.0
33		VCX-3339		RCM-3339	RL-3339XH		CSR332	39012CL		1.2
33			PG6-4040							1.4
33	CXP-3339X	VCX-3339X	PG6-4051	RCM-3339X	RL-3339XXH	RCT-33X	CSR334	39015CL	HP39015CL	1.5
33	CXP-3339XX	VCX-3339XX	NY40X							1.7
33	CXP-3339XXX	VCX-3339XXX	PG6-4060			RCT-33XXX		39002CL		2.0
33			NY40XXX							2.3
44				RCM-3853	RL-3646XH					1.2
44				RCM-3853X			CSR44T2			1.5
44				RCM-3853XXX						2.0
45					RL-4047H					1.0
45		VCX-4047		RCM-4047	RL-4047XH		CSR452	174612CL	HP174612CL	1.2
45			PG6-4640							1.4
45	CXP-4047X	VCX-4047X	PG6-4651	RCM-4047X	RL-4047XXH	RCT-45X	CSR454	174615CL	HP174615CL	1.5
45			PG6-4650							1.6
45	CXP-4047XX	VCX-4047XX	NY48X	RCM-4047XX		RCT-45XX				1.7
45	CXP-4047XXX	VCX-4047XXX	PG6-4660	RCM-4047XXX	RL-404720	RCT-45XXX		17462CL		2.0
45			NY48XXX							2.3
56					RL-4347H					1.0
56					RL-4347XH		CSR562			1.2
56	CXP-4347X	VCX-4347X	PG6-4751	RCM-4347X	RL-4347XXH		CSR564	434615CL	HP434615CL	1.5
56			PG6-4750							1.6
56	CXP-4347XX									1.7
56	CXP-4347XXX	VCX-4347XXX		RCM-4347XXX	RL-434720	RCT-56XXX				2.0





800-394-BAGS (2247) | INFO@ALUFPLASTICS.COM

LOW DENSITY ITEMS BY GALLON SIZE (CONTINUED)

CROSS REFERENCE

Gallon Size	CXP	vcx	PG6/NY	RCM	RL	RCT	CSR	50/50	НР	Gauge/ Rating
50-55		VCX-3658X	PG6-5851					145815CL		1.5
50-55			NY58X							1.7
50-55										2.0
50-55			NY58XXX							2.3
55-60					RL-3858H					1.0
55-60		VCX-3858		RCM-3858	RL-3858XH	RCT-60	CSR602	165812CL	HP165812CL	1.2
55-60	CXP-3858X	VCX-3858X	PG6-6051	RCM-3858X	RL-3858XXH	RCT-60X	CSR604	165815CL	HP165815CL	1.5
55-60			PG6-6050							1.6
55-60	CXP-3858XX	VCX-3858XX		RCM-3858XX		RCT-60XX				1.7
55-60			NY60PLUS							1.8
55-60	CXP-3858XXX	VCX-3858XXX	PG6-6060	RCM-3858XXX	RL-385820	RCT-60XXX		16582CL	HP16582CL	2.0
55-60			NY603X							2.7
65			PG6-6551							1.5
65			PG6-6550							1.6
95								96G15CL		1.5
95			PG6-9560							2.0

HIGH DENSITY ITEMS BY GALLON SIZE







Gallon Size	HCR	SCR	РСМ	Gauge/ Rating
7-10	HCR-242406C*	SCR-242406C*		6
7-10	HCR-242408C*			8
12-16	HCR-243306C*	SCR-243306C		6
12-16	HCR-243308C*	SCR-243308C	PCM-243308C	8
13	HCR-242708C			8
20-30	HCR-303708C			8
20-30	HCR-303710C	SCR-303710C*	PCM-303710C	10
20-30	HCR-303713C	SCR-303713C	PCM-303713C	13
20-30	HCR-303716C*			16
26	HCR-294416C			16
33	HCR-334011C			11
33	HCR-334013C			13
33	HCR-334016C*	SCR-334016C	PCM-334016C	16
33	HCR-334022B	SCR-334022C		22
45	HCR-404812C			12
45	HCR-404814C		PCM-404814C	14
45	HCR-404816C*	SCR-404816C*	PCM-404816C	16
45	HCR-404822C*		PCM-404822C	22
56	HCR-434816C		PCM-434816C	16
56	HCR-434822C*		PCM-434822C	22
50-55	HCR-366017C			17
55-60	HCR-386014C			14
55-60	HCR-386017C*	SCR-386017C	PCM-386017C	17
55-60	HCR-386022C*	SCR-386022C		22



Still don't see what you are looking for?

Custom orders are just 3 weeks away!

> **Low Minimums** & Private Labels

*Also available in black



CROSS REFERENCE





Gallon Size	Item ID	Description	Closure	Color	Scent	Count Each	Per Master	Masters Pallet	Brand	Gauge
13	ULR-TK13G-FL-100C	Tall Kitchen	Flaps	White		100	6	70	Ultrasac	0.6
13	ULR-13G/25-FE-DS	Tall Kitchen	Drawstring	White		25	6	120	Commander	0.72
13	ULR-13G/25-FE-DS CITRUS	Tall Kitchen	Drawstring	White	Citrus	25	6	120	Commander	0.72
13	ULR-13G/25-FE-DS FRESH	Tall Kitchen	Drawstring	White	Beachside Breeze	25	6	120	Commander	0.72
13	ULR-13G/25-FE-DS LAVENDER	Tall Kitchen	Drawstring	White	Lavender	25	6	120	Commander	0.72
13	COMMANDER 13-100 DS .72MIL	Tall Kitchen	Drawstring	White		100	1	280	Commander	0.72
13	ULR-13G/30-FE-DS LAVENDER	Tall Kitchen	Drawstring	White	Lavender	30	12	50	Commander	0.9
13	ULR-13G-DS-44C	Tall Kitchen	Drawstring	White		44	12	40	Commander	0.9
13	ULR-13G-DS-48C LM	Tall Kitchen	Drawstring	White	Lemon	48	12	40	Commander	0.9
13	UL TALL KITCHEN 50	Tall Kitchen	Drawstring	White	Fresh	50	1	105	Ultrasac	0.9
13	UL TALL KITCHEN 100	Tall Kitchen	Drawstring	White	Fresh	100	1	105	Ultrasac	0.9
13	NEAT-13G-40FE	Tall Kitchen	Drawstring	Black		40	6	84	Neat	1.0
13	NEAT-13G-40FE-BIO	Tall Kitchen	Drawstring	Black		40	6	72	Neat	1.0
13	NEAT-13G-200	Tall Kitchen	Drawstring	Black		200	1	100	Neat	1.0
16	UL 1318G	XH Tall Kitchen	Drawstring	Black		30	4	100	Ultrasac	1.1
Compactor	UL COMPACTOR BAGS	Compactor	Twist tie	White		40	1	315	Ultrasac	2.5
20-30	COMMANDER 30-40 DS 0.9MIL	Large Trash	Drawstring	Black		40	1	429	Commander	0.9
20-30	ULR-30G-DS-28C	Large Trash	Drawstring	Black		28	12	50	Commander	1.0
20-30	NEAT-30G-25FE	Large Trash	Drawstring	Black		25	1	360	Neat	1.1
20-30	NEAT-30G-25FE-BIO	Large Trash	Drawstring	Black		25	1	360	Neat	1.1
20-30	NEAT-30G-120	Large Trash	Drawstring	Black		120	1	120	Neat	1.1
30	ULR-30G-FE-DS-20C	Large Trash	Drawstring	Black		20	12	50	Commander	1.1
33	UL 33 GAL. BLUE RECYCLING-DS	Large Trash	Drawstring	Blue Tint		45	1	105	Ultrasac	0.9
33	UL 33 GALDS	Large Trash	Drawstring	Black		86	1	51	Ultrasac	1.4
33	UL 33 GAL	Large Trash	Twist tie	Black		100	1	60	Ultrasac	1.4
33	UL SHORT CONTRACTOR 50 4FLAP	Large Trash	Flaps	Black		50	1	60	Ultrasac	3.0
39	COMMANDER 39-40 1MIL	Lawn & Leaf	Drawstring	Black		40	1	279	Commander	1.0
39	ULR-39G-FL-40C	Lawn & Leaf	Flaps	Black		40	6	65	Commander	1.2
39	UL LAWN & LEAF	Lawn & Leaf	Twist tie	Black		100	1	45	Ultrasac	1.5
42	3MCON20	Contractor	Flaps	Black		20	1	180	Commander	2.0
SECYCLED CONTENT 42	COMMANDER 42-28 2MIL	Contractor	Drawstring	Black		28	6	45	Commander	2.0
MARIN MON. RECYCLED CONSINT 42	ULR-42G-FL-10C 2MIL 6PK	Contractor	Flaps	Black		60	1	90	Commander	2.0
42	CONT42FL3M61B20	Contractor	Flaps	Black		20	1	252	Commander	2.4
42	CONT20EV PALLET	Contractor	Twist tie	Black		20	1	180	Commander	2.5
42	COMMANDER 42-20 3MIL	Contractor	Flaps	Black		20	1	200	Commander	3.0
42	UL CONTRACTOR 20 4FLAP	Contractor	Flaps	Black		20	1	96	Ultrasac	3.0
42	UL CONTRACTOR 50 4FLAP V2	Contractor	Hand Tie	Black		50	1	48	Ultrasac	3.0
42	COMMANDER 42-32 4MIL	Contractor	Flaps	Black		32	1	130	Commander	4.0
42	UL 4MIL CONTRACTOR	Contractor	Twist tie	Black		32	1	56	Ultrasac	4.0
45	UL EXTRA LARGE 1.8	Extra Large	Twist tie	Black		50	1	60	Ultrasac	1.8
45	UL RECYCLING CLEAR	Extra Large	Twist tie	Clear		100	1	36	Ultrasac	1.1
55-60	UL 55 GAL-50	Drum Liner	Twist tie	Black		50	1	54	Ultrasac	2.0
Mattress Queen	UL-MAT-QN-12C	Mattress Queen	Hand Tie	Clear		1	12	70	Ultrasac	2.0
Mattress King	UL-MAT-KG-12C	Mattress King	Hand Tie	Clear		1	12	70	Ultrasac	2.0
matti oss ming	OE MAI TO 120	atti ooo miig	mana no	U.Su.					Unitable	0

RETAIL PACKED ITEMS BY GALLON SIZE





How to choose the correct can liner in 3 easy steps.

STEP 1 — MATERIALS: Are there sharp objects being thrown away?

YES – Select one of the following options:

Density

14 mic

10 mic

1.5 mil 8 mic

1 mil

SHARP OBJECTS	Low Density High Mil	Low Density Med Mil	Low Density Low Mil	LD Super Hexene Med Mil	LD Super Hexene High Mil
Construction Debris	3 mil				
Broken Glass		2 mil		1 mil	
Items with Sharp Corners			1.5 mil		.8 mil
Lawn Trimmings & Sticks			1.5 mil	.9 mil	
Bones, Crab Legs, Sharp Metal Lids				.9 mil	.8 mil

STEP 2 — SIZE: How to determine the proper liner size? Follow these steps:

Round: Example:

Diameter: 23" Height" 42.5" Width = diameter x 1.57 23" x 1.57 = 36.11" = 36"

Length = 1/2 diameter + 4" + height of can Length of bag = 58" 11.5" (1/2 dia.) + 4" + 42.5" = 58"

Bag Size should be: 36" x 58"




Square/Rectangle: Example:

Width: 22" Depth: 14" Height" 47" Width = add the width + the depth Width of bag = 36" 22" + 14" = 36"

Length = 1/2 of the depth + height of can + 4" Length of bag = 58" 7" + 47" +4" = 58"

Bag Size should be: 36" x 58"



High Density Low Mic

.8 mil

6 mic

STEP 3 — GAUGE: How to determine bag thickness?

HI-D	HI-DENSITY		REPRO & POST		
Gauge	Max Load		Gauge	Max Load	
6	16		0.8	32	
8	20		1.0	40	
10	30		1.2	48	
13	55		1.3	52	
14	55		1.5	60	
16	70		1.6	64	
17	75		1.7	68	
19	80		1.9	76	
22	85		2.0	80	

REPRO		
Gauge	Max Load	
0.8	32	
1.0	40	
1.2	48	
1.3	52	
1.5	60	
1.6	64	
1.7	68	
1.9	76	
2.0	80	
		•

ALULENE			
Gauge	Max Load		
0.8	36		
1.0	45		
1.2	54		
1.3	59		
1.5	68		
1.6	72		
1.7	77		
1.9	86		
2.0	90		
•			

BUTENE				
Gauge	Max Load			
0.4	22			
0.6	33			
0.7	39			
0.8	44			
0.9	50			
1.0	55			
1.3	72			
1.5	83			
2.0	110			

HEXENE				
Gauge	Max Load			
0.4	28			
0.6	42			
0.7	49			
8.0	56			
0.9	63			
1.0	70			
1.3	91			
1.5	105			
2.0	140			

Gauge	Max Load
0.4	30
0.6	45
0.7	53
0.8	60
0.9	68
1.0	75
1.3	98
1.5	113
2.0	150









How to Convert Mils to Microns

Multiply the Mil by 25.4 ____ Mil x 25.4 = ____ Microns The resulting number is the actual Micron thickness.

How to Convert Microns to Mils

Divide the Micron by 25.4

Microns ÷ 25.4 = ____ Mil

The resulting number is the actual Mil thickness.



can liners in both gauge and microns				
MICRON EQUIVALENT				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
25.4				

This table highlights the most pop

Calculating Gauge

Calculating Bag Thickness

1. Weigh 4 bags in pounds on a scale to get an AVERAGE weight.

If scale provides weight in OUNCES divide by 16; or if by GRAMS, multiply x .0022 to get pounds.

2. For width and length below use ACTUAL exact length you physically measured, not what is on the label.

For Low Density

Weight in lbs. \div Total Width \div Length \div # of bags weighed x 15 = Gauge

For example see below

Try it ______ # of bags weighed x 15 = _____ # of bags weighed x 15 = _____ # i. Example: 29.4 Net Weight 38x58, 2 mil, LLDPE 100 count =

ii. 29.4 lbs. ÷ 38 width ÷ 58 length ÷ LLDPE 100 count x 15 =

For High Density

Weight in lbs. \div Total Width \div Length \div # of bags weighed x 15 = Gauge

For examples see below

Try it _____ lbs. ÷ _____ Width ÷ _____ # of bags weighed ÷ 0.0686 x 25,400 = ____ Micron

i. Example: 20.75 Net Weight 40x48, 16 Micron HDPE 250 count =

ii. 20.75 lbs. ÷ 40 width ÷ 48 length ÷ 250 count ÷ 0.0686 x 25,400 = **16** mic



Calculating Net Weight

For Low Density

Gauge \div 15 x Total Width x Length x Pack = Net lbs. per case

For example see below

Try it _____ Gauge ÷ 15 x ____ Width x ____ Length x _ Pack = Net Weight per Case

i. For LD gauge, please input 1.5 mil as .0015 or .5mil as .0005

ii. Example: 40 x 46, 100 Case, 2 Mil =

iii. .002 ÷ 15 x 40 Total Width x 46 Length x 100 Case = 24.53 Net lbs.

For High Density

Gauge \div 25,400 x Total Width x Length x Pack x 0.0686 = Net lbs. per case

For example see below

Try it _____ Gauge ÷ 25,400 x ____ Width x ____ Length x ____ Pack x 0.0686 = ____ Net Weight per Case

i. For HD gauge, please input 17 Mic as the value of 17 \div 25,400 = .0006692

ii. Example: 33 x 40, 250 Case, 17 Mic =

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

iii. 17Mic ÷ 25,400 = .00066 x 33 Total Width x 40 Length x 250 Case x .0686 = 15.15 Net lbs.









How can I order product samples?

Call your local representative, or contact Customer Service at 800-394-BAGS or info@alufplastics.com to request product samples.

What Freight Terms do you offer?

Prepaid, unless otherwise noted.

How can I tell the difference between Low **Density and High Density bags?**

Low Density bags feel and sound softer, and are usually thicker. High Density bags are thinner and make a crinkly sound.

Can I buy direct?

Being a manufacturer, our products are sold by our wholesale distributor partners. We can refer you to an Aluf Plastic's Manufacturer Rep or local distributor in your area depending upon your volume needs.

Can I mix products to meet the 250 case minimum for prepaid freight?

Yes, you can mix assorted items, full case layers are preferred, to have the entire order meet our 250 case requirement.

What is the difference between Mic and Mil?

Mic and Mil are units of measure that describe the thickness of plastic. High Density is measured in microns or the metric system. Low Density is measured in mils or the imperial system.

What are the minimum order requirements?

The minimum production run for custom items is usually 2,000 lbs.

Are all items listed in Aluf's Product Catalog in stock?

Yes, all listed items are in stock and available for immediate shipment unless otherwise noted. However, to keep inventory current, periodically new items are added and obsolete items removed from stock.

We also produce industrial products on a customer-bycustomer basis with low minimums and prompt turnaround.

What are the lead times for stock and custom product?

Orders for stock product will ship in 72 hours, stock with Colabel in 5 business days. Custom product lead time for first order is four weeks and three weeks for subsequent orders. Exceptions apply; lead time will be confirmed at time of order.

Interesting Aluf Plastics Facts

- Aluf's various can liners have been used inside the White House and aboard Air Force One.
- Aluf manufactures premium can liners of all sizes ranging from 6 inches to 157 inches wide.
- Aluf Plastics stocks over 50 different 55 gallon liners for immediate shipment.
- Aluf's bags are subject to meticulous testing to ensure product meets or exceeds industry standards.
- Aluf Plastics has 90+ state-of-the-art extruders, running 24 hours a day.
- Aluf Plastics is the second largest blown film plant in the United States.

- Aluf has the only 3-ply can liner that qualified for LEED certification with COEX antimicrobial odor control.
- Aluf Plastics won the P.L.M.A. salute to excellence award for outstanding packaging innovation.



- Aluf Plastics is recognized by INC/5000 as one of the fastest growing companies in the USA.
- Aluf Plastics is proud to manufacture and sell products that are made in the USA.
- Aluf produces Blue, Green, Yellow, Buff, Gray, Red Silver, Orange, White, Purple, Brown, in addition to Black and Clear.

Aluf Plastics Terms and Conditions







Returns

The Aluf Plastics tagline is "our reputation in every bag" — as we are very committed to ensuring customer satisfaction and providing quality product. In the event there is a need to return product to Aluf Plastics, a Return Merchandise Authorization (RMA) must be obtained by contacting returns@alufplastics.com within 7 days of delivery. The Request for Return Merchandise Authorization email should include the Original Invoice Number, Date, Quantity, and Reason for Return.

If a returned item is found to be defective or delivered damaged, returns with an RMA will be accepted at no outgoing freight charge and full credit will be applied to the customer's next invoice.

No credit will be given for custom/private label product, partially used packages or dead stock, unless defective.

All products accepted for return must be in unopened boxes, in resalable condition and are subject to a 15% restocking fee with no credit given for outgoing freight costs. After returned product is received in our warehouse, the amount paid for the product, less restocking fees (if applicable) will be credited on the customer's next invoice. Claims for shortages must be noted on bill of lading at time of delivery.

Product Warranty

WE SHIP ALL STOCK PRODUCT WITHIN 72 HOURS

User assumes all risks resulting from the use of our products and must confirm adaptability thereof by their own tests. Liability will not exceed value of the material sold. We reserve the right to employ various new technologies due to advances in the polyethylene industry which may alter the structure or configuration of material used to manufacture products. This does not void or change our warranty; the products supplied will function in a satisfactory manner.

Legal

Prices are subject to market changes and raw material price fluctuations. Prices quoted are firm for 30 days unless otherwise noted. Custom bags are subject to +/- 25% quantity unless otherwise agreed to in writing. All products are subject to +/- 5% overall tolerance.









PRESORTED STANDARD
U.S. POSTAGE
PAID
PERMIT NO. 994
SYRACUSE NY

























Aluf Plastics - New York 2 Glenshaw Street Orangeburg, NY 10962

Phone: 800.394.BAGS (2247) Fax: **845.365.2294** Email: info@alufplastics.com Web: www.alufplastics.com

Aluf Plastics — Texas 1212 Elm Street Sulphur Springs, TX 75482













